

Electric Sprayers

Graco's Complete Line of Professional Electric Airless Sprayers



There is no other sprayer like a GRACO.

Welcome to a whole new world of paint application possibilities.

Graco manufactures the most extensive and highest quality professional line of painting solutions in the market. This informational guide is designed to help you select the right solutions for your painting needs.

According to Frost & Sullivan, "U.S. Painting Contractors overwhelmingly rate Graco as the best overall brand of spray equipment and is considered the *'Overall Best'* brand among all paint-related products." When it comes to making a choice, Graco is preferred 7 to 1 over the nearest competitive brand.



Frost & Sullivan, 2008 Paint Contractors Choice Award for Overall Best Brands

Most importantly, when choosing Graco, you can be assured that you are choosing the highest quality product in the industry. You can take pride in the fact that Graco products are designed, manufactured, and assembled right here in the United States of America. We do!





The G4 Difference... We Build It. We Back It. Period.



QUALITY | PERFORMANCE | WARRANTY | PRODUCTIVITY

Only Graco delivers the industry's first choice for electric airless sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVEN QUALITY

Precision design, 100% factory-tested and field-proven.

Cutting-edge technology keeps Graco sprayers up and running and on the job for years.

MAXIMUM PERFORMANCE

Higher output with superior control ensures highest quality finish for every job.

Rely on any of these high performance sprayers to deliver the results you expect from a Graco.

INDUSTRY LEADING WARRANTY

Every Graco electric sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor. Sprayers so reliable you may never need to use

Sprayers so reliable you may never need to use the warranty!

UNMATCHED PRODUCTIVITY

Exclusive Endurance Pumps deliver long life, reliable performance and consistent spraying.

The Endurance Advantage Program eliminates downtime by keeping a spare pump on hand for a quick change-out on the job.

Graco has the Right Solutions for all your

Graco offers the most extensive and highest performing line of electric airless sprayers. Graco sprayers are designed to get the job done faster, with the best results. Contractors can choose from the lightweight 390 to the full featured Ultra Max II line, up to the extreme-duty IronMan. No matter the job, Graco has the **Total Job Solution** for you.

GRACO PAINTING SOLUTIONS GUIDE

SPRAYER CLASSIFICATION

ENTRY ELECTRICS

- 390
- Ultra® 395

TYPICAL APPLICATIONS

TYPICAL MATERIALS

PRODUCTION RATE

Interior Residential New Construction Repaint/Remodel Property Maintenance

Light/Medium

Lacquers and Stains Interior/Exterior Latex Enamels Acrylics

Low

1 Gun Up to 0.023 tip Up to 0.54 gpm

SMALL ELECTRICS

- Ultra Max II 490
- Ultra Max II 495
- Ultra Max II 595

Interior/Exterior Residential New Construction Repaint/Remodel Property Maintenance Light Commercial

Medium

Lacquers and Stains
Interior/Exterior Latex
Enamels
Acrylics
Oil-based Primers

Medium

1 Gun Up to 0.027 tip Up to 0.70 gpm

Painting Applications



EXTREME-DUTY ELECTRICS

IronMan 300E

Interior/Exterior Residential **New Construction Heavy Commercial**

Heaviest

Interior/Exterior Latex **Block Fillers Elastomerics**

Epoxies

Roof Coatings

High

Up to 2 Guns Up to 0.031 tip Up to 1.20 gpm and quality that never let me down. I have owned five Graco airless sprayers that have all been problem-free and dependable. Other brands I've owned have not been as reliable."

"My Graco has reliability



-Ken Green Ken Green Painting Los Alamitos, CA

LARGE ELECTRICS

- Ultra Max II 695
- Ultra Max II 795
- Ultra Max II 1095
- Ultra Max II 1595

Interior/Exterior Residential **New Construction Property Maintenance Heavy Commercial**

Heavy

Interior/Exterior Latex **Oil-based Primers Acrylics Block Fillers** Dryfall

High

Up to 3 Guns Up to 0.039 tip Up to 1.35 gpm

Features found only on a Graco

SmartControl™ 2.0/WatchDog™

Graco's advanced *SmartControl 2.0*delivers a consistent spray fan without
pressure fluctuation at all spraying
pressures. Our *Premium* line of
sprayers have the added benefit of a
digital display with pressure readout,
job/lifetime gallon counter, and selfdiagnostics; and the *WatchDog Pump Protection System* which
automatically shuts the sprayer
down when the bucket is empty —

extending the life of the pump.

MaxPower Motor

Graco's compact and powerful

MaxPower Brushless DC Motors are designed specifically for painting applications. The totally-enclosed, fan-cooled design protects the internal components of the motor from dirt, dust and overspray – extending the life of the motor. But more importantly, the brushless design means that you will never need to replace brushes! No wonder Graco stands behind these motors with a lifetime warranty!





SMARTCONTROL™



Easy Out™ Filter

The *Easy Out Pump Filter* is designed to filter from the inside out so filters won't get stuck or collapse when they are filled with dirt or debris. It's large filtering area reduces tip clogs and ensures a quality finish. Filter removes with the cap which means less mess.



Introducing *QuikReel*, Graco's latest solution to hose management. With QuikReel you can reel and unreel up to 300 feet of hose in seconds! The hose is connected so you're always ready to spray. In fact, it comes connected out of the box. With Graco's innovative QuikReel, you can get on and off the job site faster.







pump on the market today. This field proven design with longlife *V-Max Blue™* packings, *Chromex™* rod and *MaxLife™* pump coatings delivers superior reliability and life.

ProConnect[™]

The ProConnect Pump
Removal and Installation
System allows you to
replace your pump in
seconds without any tools!
This revolutionary design
keeps you pumping —
saving you time and money.







Advantage Drive[™]

The drive is the critical link between the motor and the pump. Graco doesn't leave the manufacturing of our *Advantage Drive System* to others, rather we design and manufacture them at our world-class manufacturing facility located in the United States. This allows us to control the quality of these hardened steel gears. You can find peace of mind knowing that you have the most durable, longest lasting drive in the industry and Graco stands behind it with a

lifetime warranty.



FastFlush™

We did extensive research on how to decrease cleaning time and came to the following simple conclusion: to clean faster, you must run the pump faster. So that's what we did! The new FastFlush Cleaning System runs the motor at a higher speed which results in high flow and faster cleaning. It's that simple!







390

sprayers.

390

DESCRIPTION 390 Stand 390 Hi-Boy PART #: 253958 262019

SPECIFICATIONS:

MAX TIP SIZE: 0.021
MAX GPM [LPM]: 0.47 [1.8]
MAX PSI [BAR]: 3300 [227]
MOTOR: 5/8 hp DC

INCLUDES:

- FTx™ Gun
- RAC X[™] 515 SwitchTip[™] and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax™ II Airless Hose





Offset handle with rubber comfort grip is positioned to kick sprayer away from leg for comfortable carrying.



Consistent Pressure Control

 Simple mechanical design for years of reliable use

Double-seal design keeps moving parts isolated from paint

Delivers quality spray pattern with minimal fluctuation



Lighted Power Plug

Lighted plug gives quick, positive indication that sprayer has power

► Ideal for trouble-shooting on the jobsite



If you're looking for a solid workhorse of a sprayer that is built for the professional who is just "starting out" then the **390** is for you. This is Graco's lightest professional sprayer

weighing in at only 30 lbs! The 390 is the ideal sprayer for residential jobs because it

is so lightweight and portable. Hands down the 390 is the *best value* in small electric

► Graco's lightest professional sprayer at only 30 lbs [13.6 kg]





Swivel Inlet Suction Hose

- ▶ All aluminum construction is durable, lightweight and rust proof
- ▶ No-tools removal of hose for cleaning or accessing inlet ball
- ► Easily swivels to reach paint buckets or cans
- Stands upright so it won't tip paint can over
- Attached big cup holds the inlet during transport to catch drips

Stand model shown



Ultra 395

The **Ultra 395**'s reliability and performance has made it Graco's most popular small electric sprayer. Features SmartControl 1.0 Pressure Control which provides microprocessor control that delivers a consistent spray fan without pressure fluctuation at all spraying pressures. Proven technology and design make it perfect for professionals who spray daily with a wide range of coatings.

SmartControl 1.0 Pressure Control

 Microprocessor control delivers a consistent spray fan without pressure fluctuation at all spraying pressures

Tight deadband and fast response when spraying

Easy Out Pump Filter

- Large filtering area reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – filters won't get stuck or collapse when dirty
- ► Filter removes simply with the cap for less mess









Endurance Pump

- Long-life V-Max Blue packings, Chromex rod and hardened Stainless Steel cylinder
- ▶ Proven design and rugged construction
- ▶ QuikAccess™ intake valve requires only a hammer to access the intake ball to easily clean or clear debris

Stand model shown



Ultra 395

 DESCRIPTION
 PART #:

 Ultra 395 Stand
 233960

 Ultra 395 Hi-Boy
 233962

 Ultra 395 Lo-Boy
 233961

SPECIFICATIONS:

MAX TIP SIZE: 0.023

MAX GPM [LPM]: 0.54 [2.0]

MAX PSI [BAR]: 3300 [227]

MOTOR: 7/8 hp TEFC DC

INCLUDES:

Totally Enclosed DC Motor

motor components from dirt, dust and

Enclosed design protects internal

overspray to extend motor life

- Contractor[™] Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose











Ultra Max II 490/495/595

The Ultra Max II 490/495/595 brings the leading technology and performance of Graco's larger Ultra Max II models into these compact and lightweight sprayers. The Ultra Max II 490/495/595 sprayers are the best choice for professionals looking for superior performance and control for daily use on residential jobs.

Ultra Max II 490

DESCRIPTION PART #: Ultra Max II 490 Stand 249911 Ultra Max II 490 Hi-Boy 249914 Ultra Max II 490 Lo-Boy 249913

SPECIFICATIONS:

MAX TIP SIZE: 0.023 MAX GPM [LPM]: 0.54 [2.0] MAX PSI [BAR]: 3300 [227]

MOTOR: 1.0 hp Brushless DC

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose

Ultra Max II 495

DESCRIPTION PΔRT #· Ultra Max II 495 Stand 249915 Ultra Max II 495 Hi-Bov 249917 Ultra Max II 495 Lo-Boy 249916

SPECIFICATIONS:

MAX TIP SIZE: MAX GPM [LPM]: 0.60 [2.3] MAX PSI [BAR]: 3300 [227]

MOTOR: 1.2 hp Brushless DC

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose



- Advanced microprocessor control delivers a consistent spray fan without pressure fluctuation at all spraying pressures
- Zero deadband at lower spraying pressures makes this line of sprayers ideal for fine finish spraying



SMARTCONTROL



Endurance Pump

- ▶ Long-life V-Max Blue packings, Chromex rod and hardened Stainless Steel cylinder
- Proven design and rugged construction
- QuikAccess intake valve requires only a hammer to access the intake ball to easily clean or clear debris



Chrome Plated, Welded Steel Carts

- ► Thick chrome over steel to withstand rugged environments
- Retractable handle doubles as a hose wrap for simple removal of coiled hose
- Semi-pneumatic wheels roll easily over rough terrain



Easy Out Pump Filter

- ► Large filtering area reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – filters won't get stuck or collapse when dirty
- ► Filter removes simply with the cap for less mess

Ultra Max II 595

 DESCRIPTION
 PART #:

 Ultra Max II 595 Hi-Boy
 249919

 Ultra Max II 595 Lo-Boy
 249918

SPECIFICATIONS:

MAX TIP SIZE: 0.027
MAX GPM [LPM]: 0.70 [2.6]
MAX PSI [BAR]: 3300 [227]

MOTOR: 1.4 hp Brushless DC

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose



The Hi-Boy TiltBack™ cart makes bucket changes fast and easy.



Inlet tube fits through a 2-inch cap opening on standard 5-gallon bucket.

MaxPower Brushless DC Motor

- No brushes to replace
- ➤ Compact, lightweight motor delivers higher horsepower per wall amp
- Enclosed design protects internal motor components from dirt, dust and overspray to extend motor life



Lo-Boy model shown



Ultra Max II 695/795/1095/1595

Ultra Max II 695 Standard

DESCRIPTION PART #: Ultra Max II 695 Hi-Bov 258720 Ultra Max II 695 Lo-Boy 258722

SPECIFICATIONS:

MAX TIP SIZE: 0.031-1 Gun

0.023-2 Guns

MAX GPM [LPM]: 0.95 [3.6] MAX PSI [BAR]: 3300 [227]

MOTOR: 2.0 hp Brushless DC

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] **BlueMax II Airless Hose**

Ultra Max II 795 Standard

DESCRIPTION PART #: Ultra Max II 795 Hi-Boy 258724

SPECIFICATIONS:

MAX TIP SIZE: 0.033-1 Gun

0.025-2 Guns

0.019-3 Guns

MAX GPM [LPM]: 1.10 [4.1]

MAX PSI [BAR]: 3300 [227]

MOTOR: 2.2 hp Brushless DC

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose







The Ultra Max II 695/795/1095/1595 are the industry standard for professional contractors who spray a full range of coatings on residential, commercial and industrial iobs. These sprayers handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease. Now with higher performance allowing you to get your job done faster!

SmartControl 2.0 Pressure Control

Advanced microprocessor control delivers a consistent spray fan without pressure fluctuation at all spraying pressures

Easy Out Pump Filter

► Large filtering area reduces tip clogs and ensures a quality finish

► Easy Out design filters from the inside out - filters won't get stuck or collapse when dirty

Filter removes simply with the cap for less mess



- No brushes to replace
- Compact, lightweight motor delivers higher horsepower per wall amp
- Enclosed design protects internal motor components from dirt, dust and overspray to extend motor life



ARGE ELECTRICS • LARGE ELECTRICS • LARGE ELECTRICS • LARGE ELECTRICS • LARGE ELECTRICS • LARGE

Standard



Exclusive ProConnect Pump Removal and Installation System [Ultra Max II 1095/1595 sprayers only]

- Proven, reliable design for ease of pump replacement
- ProConnect allows you to remove and replace your pump in seconds without any tools
- ▶ Makes your work easier saving you time and money on the job





Chrome Plated, Welded Steel Carts

- ▶ Thick chrome over steel to withstand rugged environments
- ▶ Retractable handle doubles as a hose wrap for simple removal of coiled hose
- ▶ Pneumatic wheels roll easily over rough terrain
- ▶ Hi-Boy TiltBack cart design makes bucket changes fast and easy



Ultra Max II 1095 Standard

DESCRIPTION PART #:
Ultra Max II 1095 Hi-Boy 258728

SPECIFICATIONS:

MAX TIP SIZE: 0.035-1 Gun 0.027-2 Guns

0.021-2 Guns 0.021-3 Guns

MAX GPM [LPM]: 1.20 [4.5]
MAX PSI [BAR]: 3300 [227]

MOTOR: 2.4 hp Brushless DC

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose

Ultra Max II 1595 Standard

 DESCRIPTION
 PART #:

 Ultra Max II 1595 Hi-Boy
 258764

 Ultra Max II 1595
 Hi-Boy [Canada]

 258766
 258766

SPECIFICATIONS:

MAX TIP SIZE: 0.039-1 Gun

0.029–2 Guns 0.023–3 Guns

MAX GPM [LPM]: 1.35 [5.1]
MAX PSI [BAR]: 3300 [227]

MOTOR: 2.8 hp Brushless DC

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose



Ultra Max II 695/795/1095/1595

Ultra Max II 695 Premium

DESCRIPTION PART #: Ultra Max II 695 Hi-Boy 258719

SPECIFICATIONS:

MAX TIP SIZE: 0.031-1 Gun

0.023-2 Guns

MAX GPM [LPM]: 0.95 [3.6] MAX PSI [BAR]: 3300 [227]

MOTOR: 2.0 hp Brushless DC

INCLUDES:

Contractor Gun

RAC X 517 SwitchTip and Guard

• 1/4 in x 50 ft [6.4 mm x 15 m] **BlueMax II Airless Hose**

Ultra Max II 795

DESCRIPTION Ultra Max II 795 Hi-Boy

PART #: 258723

SPECIFICATIONS:

MAX TIP SIZE: 0.033-1 Gun

0.025-2 Guns 0.019-3 Guns

3300 [227]

MAX GPM [LPM]: 1.10 [4.1] MAX PSI [BAR]:

MOTOR: 2.2 hp Brushless DC

INCLUDES:

Contractor Gun

RAC X 517 SwitchTip and Guard

• 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose











Graco took the most demanded, highest quality sprayers and added user convenience features. These **Premium** Graco sprayers have everything the Standard Ultra Max II sprayers have PLUS added features that are not just gimmicks or useless frills, but rather real features that provide real value to real contractors. Features that will make your job easier – saving you time and money. And now with higher performance – allowing you to get your job done faster!



SmartControl 2.0 Digital Display

► SmartControl display with pressure read-out, gallon counting and diagnostics

WatchDog Pump **Protection System**

▶ Shuts down pump when paint runs out

Prevents dry pumping damage



FastFlush Cleaning System

simply rotating the prime valve into the FastFlush position - fully automated!

▶ Reduces your cleaning time

Hi-Boy **Premium** model shown

Premium



NEW QuikReel [Patent Pending]

Introducing the new QuikReel, the ultimate solution in hose management. This fieldproven design, will get you on and off the job faster - saving you time and money. With the capability to handle up to 300 feet of hose, the QuikReel system allows you to put the sprayer where you want it and the gun where you need it - maximizing your productivity.

▶ Integrated hose reel can be reeled/unreeled in seconds

▶ Hose is always connected so that you're always ready to spray ▶ Hose guide directs the hose on the reel eliminating twisting and coiling

Easily handles larger diameter and longer lengths of hose maximizing your performance and productivity



Ultra Max II 1095 Premium

DESCRIPTION PART #: Ultra Max II 1095 Hi-Boy 258727

SPECIFICATIONS:

MAX TIP SIZE: 0.035-1 Gun 0.027-2 Guns

0.021-3 Guns MAX GPM [LPM]: 1.20 [4.5] MAX PSI [BAR]: 3300 [227]

MOTOR: 2.4 hp Brushless DC

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] **BlueMax II Airless Hose**

Ultra Max II 1595 Premium

DESCRIPTION Ultra Max II 1595 Hi-Boy

Ultra Max II 1595 Hi-Boy [Canada]

258765

PART #:

258763

SPECIFICATIONS:

0.039-1 Gun 0.029-2 Guns MAX TIP SIZE:

0.023-3 Guns

MAX GPM [LPM]: 1.35 [5.1] MAX PSI [BAR]: 3300 [227]

MOTOR: 2.8 hp Brushless DC

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose



IronMan 300E

IronMan 300E

DESCRIPTION IronMan 300E PART #: 256655

SPECIFICATIONS:

MAX TIP SIZE:

0.031-1 Gun 0.023-2 Guns

MAX GPM [LPM]: 1.20 [4.5] MAX PSI [BAR]: 3300 [227]

MOTOR: 2.2 hp Brushless DC

INCLUDES:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- RAC X 527 SwitchTip
- RAC X Wide RAC™ 1227 SwitchTip
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose
- 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless Hose

Increased Power

ruggedness.

► Motor is oversized for increased performance and life

Roll Cage Frame

► "Indy Car" style roll cage protects all critical sprayer components from extreme jobsite abuse

Control Lock Theft Deterrent

► Allows the user to lock/ disable the sprayer

Protects the controls from jobsite abuse

Extreme-Duty Prime Valve

► Designed to hold up to high pressure dumps for the most extreme jobsite conditions

Flat-Proof Tires

Nails, screws, blades cannot flatten these tires

Pneumatic tire performance



SEE IT FOR YOURSELF... Dynamic video on how tough the IronMan 300E sprayer is at

www.graco.com/ironmanvideo





Crush-Proof Intake Screen

Extreme-Duty MaxLife HD Pump

Holds up to impacts which are common on the jobsite



Power, **Durability** and **Capability** is what makes this Graco sprayer an IronMan. From its oversized motor to its rugged, heavy-duty frame the IronMan 300E is built with extreme

ruggedness for the serious contractor who doesn't need all the extras but does demand

WARRANTY

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do... we will be there.

NOBODY ELSE BUILDS SPRAYERS LIKE THIS

LIFETIME ELECTRIC MOTOR WARRANTY

If the motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

LIFETIME DRIVE TRAIN WARRANTY

If the drive train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade-up to a larger sprayer at an additional cost.

3-YEAR WARRANTY

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM

Part needed for a warranty repair not in stock at your distributor? Get *FREE* next business day air freight delivery when distributor orders the part by 2 p.m. CST.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.



ENDURANCE MADVANTAGE

PROGRAM

A Solution to Keep You Spraying

Purchase any new Graco Electric Airless Sprayer and you can purchase an Endurance Pump for up to **80% OFF** the list price. Keep a spare pump on hand to save yourself time and money on every job. If you'd rather repack your own pump, we'll let you choose a **FREE Repair Kit** instead. With reliability you can count on, Graco ensures you'll always be up and spraying! Follow the registration instructions included with your sprayer. No matter what your choice, you'll soon discover how quickly and easily the QuikChange and ProConnect lowers get you up and spraying.

- ✓ On the Job Replacement
- ✓ Quick and Easy Change
- ✓ No Special Tools Needed
 ✓ Gets You Spraying Faster





ProConnect no-tools pump removal system makes swapping out the Endurance Pump fast and easy!



Essential tools for **Maximum Productivity**

RAC X SwitchTip

The RAC X SwitchTip is a high-performance spray tip used for residential and commercial applications. With a large selection of tip sizes available we are sure to have one to fit your needs. RAC X provides the best fan pattern life and the highest quality finish. These Graco tips are the most widely used reversible spray tip on the market today!

Contractor/FTx Guns

Designed by Graco to be the longestlasting guns on the market, the *Contractor* and *FTx Guns* continue to be the number one choice of painting contractors. With features like the FlexSeal Design, Easy Out Gun Filter and EasyGlide Swivel no wonder these are the contractors choice in guns!



BlueMax II Hose

To maximize performance, choose the high performance BlueMax II Airless Hose. Lighter weight and increased hose flexibility improves usability while spraying under pressure. With superior flexibility and durability, BlueMax II is designed to ensure you get the best results from your airless sprayer.



Pump Armor™/TSL

Maintaining your pump is essential for long life and reliability. Graco has made pump maintenance simple with our complete line of fluids. *Pump Armor* is a storage solution which protects your pump from the damaging effects of corrosion during storage. *TSL (Throat Seal Liquid)* prevents dried paint from accumulating on the pump rod — extending the life of the pump packings.







• AIRLESS ACCESSORIES • AIRLESS ACCESSORIES

ACCESSORIES for Electric Airless Sprayers

FOR SPRAYERS 390 - 595

DIGITAL DISPLAYS

287098 Digital Display for Ultra 395

Simple to use and easy to install display featuring pressure display and error code self diagnostics.

287904 Digital Display for **Ultra Max II 490/495/595**

Simple to use and easy to install display featuring pressure display, job/lifetime counter and error code self diagnostics.





HOPPER

288526 Hopper Accessory

▶ 1.5 gallon molded hopper attaches to sprayer in place of inlet suction hose. Ideal for spraying small amounts of material. Lid included. Smooth inside cleans up fast. Works with Stand, Hi-Boy and Lo-Boy sprayers.

FILTERS AND INLET STRAINER

246425 Easy Out Filters – Short, Gray, 30 mesh
 246384 Easy Out Filters – Short, Black, 60 mesh
 246382 Easy Out Filters – Short, Blue, 100 mesh
 246383 Easy Out Filters – Short, Red, 200 mesh

246385 Inlet Strainer





FOR SPRAYERS 695 – 1595 and IRONMAN 300E

DIGITAL DISPLAY

287286 Digital Display for **Ultra Max II 695/795/1095/1595**

Simple to use and easy to install display featuring pressure display, job/lifetime counter and error code self diagnostics.

SUCTION HOSE KIT

248317 55 Gallon Suction Hose Kit

► Easily installs on any sprayer to provide the convenience of a flexible inlet hose. Leave tube long [fits 30 gallon trash cans and 55 gallon drums] or simply unscrew at middle fitting to shorten [fits 5 gallon buckets].

FILTERS AND STRAINERS

244071	Easy Out Filters - Long, Gray, 30 mesh
244067	Easy Out Filters - Long, Black, 60 mesh
244068	Easy Out Filters - Long, Blue, 100 mesh
244069	Easy Out Filters - Long, Red, 200 mesh

189920 Inlet Strainer – Ultra Max II 695/795/1095/1595

257033 Inlet Strainer – IronMan 300E

Ask you local authorized Graco Distributor for details on our complete line of airless accessories.

ounies • Ainless Augesounies • Ainless Augesounies • Ainless Augesounies • Ainless Augesounie RLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS ACCESSORIES • AIRLESS SORIES • AIRI ESS ACCESSORIES • AIRI ESS ACCESSORIES • AIRI ESS ACCESSORIES • AIRI ESS ACCESSORIE

Essential Tools for *Maximum*Productivity and Performance

AIRLESS GUNS

Contractor Gun [2-finger trigger] with RAC X 517 Tip and Guard
Contractor Gun [4-finger trigger] with RAC X 517 Tip and Guard
Contractor Gun [2-finger trigger] with RAC 5 517 Tip and Guard
FTx Gun [4-finger trigger] with RAC X 515 Tip and Guard
FTx Gun [2-finger trigger] with RAC X 515 Tip and Guard
FTx Gun [4-finger trigger] with RAC 5 515 Tip and Guard
Silver Plus™ Gun with RAC X 517 Tip and Guard
Flex Plus™ Gun with RAC X 517 Tip and Guard
3 ft [0.9 m] Pole Gun with Contractor Inline Valve, CleanShot™ Valve, RAC X Tip and Guard
6 ft [1.8 m] Pole Gun with Contractor Inline Valve, CleanShot Valve, RAC X Tip and Guard

GUN HOSE KITS – KITS INCLUDE THE FOLLOWING UNLESS OTHERWISE NOTED

➤ Airless Gun, RAC X 517 Tip and Guard, 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II 3300 psi [227 bar] Airless Hose and 3 ft [0.9 m] Whip Hose

	blacking to cook per [227 bar] 7 in look froot and to it [6.6 in] while froot
288489	Contractor Gun Hose Kit
288496	Contractor Gun Hose Kit with RAC 5
288490	Contractor Gun Hose Kit with 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II
	3300 psi [227 bar] Airless Hose
288493	FTx Gun Hose Kit with RAC X 515 Tip [Whip Hose excluded]
288497	FTx Gun Hose Kit with RAC 5 515 Tip [Whip Hose excluded]

287095 Flex Plus Gun Hose Kit 287041 Silver Plus Gun Hose Kit

287042 Silver Plus Gun Hose Kit with 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II 3300 psi [227 bar] Airless Hose

287043 Silver Plus Gun Hose Kit with 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II 4000 psi [276 bar] Airless Hose

BLUEMAX II AIRLESS HOSE Feel the Difference in Flexibility!

238358	3/16 in x 3 ft [4.8 mm x 0.9 m] BlueMax II 3300 psi [227 bar] Airless Whip Hose
238959	3/16 in x 4.5 ft [4.8 mm x 1.4 m] BlueMax II 3300 psi [227 bar] Airless Whip Hose
240793	1/4 in x 25 ft [6.4 mm x 7.5 m] BlueMax II 3300 psi [227 bar] Airless Hose
240794	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II 3300 psi [227 bar] Airless Hose
240797	3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II 3300 psi [227 bar] Airless Hose

FLUIDS

243103	Pump Armor – 1 qt [1 liter]
245133	Pump Armor – 1 gal [3.8 liters]

➤ Use Graco's exclusive Pump Armor for long term pump storage to prohibit harmful rust and corrosion.

206994 Throat Seal Liquid [TSL] – 8 oz [.24 liters]
206995 Throat Seal Liquid [TSL] – 1 qt [1 liter]
206996 Throat Seal Liquid [TSL] – 1 gal [3.8 liters]

Prolong the life of your pump by routinely adding TSL to your pump's wet cup.

PRESSURE ROLLERS

I III	HOLLENG
245397	EvenFlow [™] Pressure Roller Assembly with 20 in [50 cm]
	Fixed, Heavy-Duty Extension and Contractor Inline Valve
244279	EvenFlow Pressure Roller Assembly with 20 in [50 cm] Fixed,
	Heavy-Duty Extension, 45° Angle
244281	EvenFlow Pressure Roller Assembly with 18 in – 36 in
	[46 cm – 91 cm] Telescoping Extension









ELECTRIC AIRLESS SPRAYER SPECIFICATIONS



		390	Ultra 395	Ultra Max II 490	Ultra Max II 495	Ultra Max II 595
MODEL	Cart Design– Part Number	Stand-253958 Hi-Boy-262019	Stand-233960 Hi-Boy-233962 Lo-Boy-233961	Stand-249911 Hi-Boy-249914 Lo-Boy-249913	Stand-249915 Hi-Boy-249917 Lo-Boy-249916	Hi-Boy-249919 Lo-Boy-249918
	Maximum Tip Size	0.021	0.023	0.023	0.025	0.027
	Maximum psi [bar]	3300 [227]	3300 [227]	3300 [227]	3300 [227]	3300 [227]
NS	Maximum gpm [lpm]	0.47 [1.8]	0.54 [2.0]	0.54 [2.0]	0.60 [2.3]	0.70 [2.6]
ATIO	Motor hp	5/8 DC	7/8 TEFC DC	1.0 Brushless DC	1.2 Brushless DC	1.4 Brushless DC
IFIC.	Weight lbs [kg]	30 [14] Stand	42 [19] Stand	34 [15] Stand	34 [15] Stand	72 [33] Hi-Boy
SPECIFICATIONS	Gun Support: 1 Gun 2 Guns 3 Guns	0.021 — —	0.023 	0.023 — —	0.025 — —	0.027
	Gun	FTx	Contractor	Contractor	Contractor	Contractor
INCLUDES	Hose	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless
N	Tip	RAC X 515	RAC X 517	RAC X 517	RAC X 517	RAC X 517
	Filter	60 Mesh Easy Out				
	Туре	QuikChange System				
_	Intake	QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess
PUMP	Rod	Chromex	Chromex	Chromex	Chromex	Chromex
	Cylinder	Hardened SST				
	Packings	V-Max Blue				
ZOZ NE	Control	Electronic	SmartControl 1.0	SmartControl 2.0	SmartControl 2.0	SmartControl 2.0
CONTROL & DRIVE	Drive	Advantage Drive	Advantage Drive	Advantage Drive	Advantage Drive	Advantage Drive
ದ್ವಿ	Motor	DC	TEFC DC	MaxPower	MaxPower	MaxPower











Ultra Max II 695	Ultra Max II 795	Ultra Max II 1095	Ultra Max II 1595	
Premium Hi-Boy–258719 Standard Hi-Boy–258720 Lo-Boy–258722	Premium Hi-Boy–258723 Standard Hi-Boy–258724	Premium Hi-Boy–258727 Standard Hi-Boy–258728	Premium Hi-Boy-258763 Hi-Boy [Canada]-258765 Standard Hi-Boy-258764 Hi-Boy [Canada]-258766	
0.031	0.033	0.035	0.039	
3300 [227]	3300 [227]	3300 [227]	3300 [227]	
0.95 [3.6]	1.10 [4.1]	1.20 [4.5]	1.35 [5.1]	
2.0 Brushless DC	2.2 Brushless DC	2.4 Brushless DC	2.8 Brushless DC	
93 [42] Standard Hi-Boy	93 [42] Standard Hi-Boy	120 [55] Standard Hi-Boy	125 [56] Standard Hi-Boy	
0.031 0.023 —	0.033 0.025 0.019	0.035 0.027 0.021	0.039 0.029 0.023	
Contractor	Contractor	Contractor	Contractor	
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	
RAC X 517	RAC X 517	RAC X 517	RAC X 517	
60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	
QuikChange System	QuikChange System	ProConnect System	ProConnect System	
QuikAccess	QuikAccess	QuikAccess	QuikAccess	
Chromex	Chromex	Chromex	Chromex	
Hardened SST	Hardened SST	Hardened SST	Hardened SST	
V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	
SmartControl 2.0	SmartControl 2.0	SmartControl 2.0	SmartControl 2.0	
Advantage Drive	Advantage Drive	Advantage Drive	Advantage Drive	
MaxPower	MaxPower	MaxPower	MaxPower	
300 ft QuikReel	300 ft QuikReel	300 ft QuikReel	300 ft QuikReel	
FastFlush	FastFlush	FastFlush	FastFlush	
SmartControl 2.0 Digital	SmartControl 2.0 Digital	SmartControl 2.0 Digital	SmartControl 2.0 Digital	
WatchDog	WatchDog	WatchDog	WatchDog	
On-Board Toolbox	On-Board Toolbox	On-Board Toolbox	On-Board Toolbox	

Ironiman Sove				
256655				
0.031				
3300 [227]				
1.20 [4.5]				
2.2 Brushless DC				
135 [61]				
0.031				
0.023				
Contractor				
3/8 in x 50 ft [9.5 mm x 15 m]				
and 1/4 in x 50 ft [6.4 mm x 15 m]				
BlueMax II Airless				
RAC X 517, RAC X 527,				
RAC X Wide RAC 1231				
60 Mesh Easy Out				
QuikChange System				
QuikAccess				
Chromex				
MaxLife				
V-Max Blue				
IronMan				
Advantage Drive				
Extreme-Duty MaxPower				
Flat-Proof Tires				
Heavy-Duty Prime Valve				
Crush-Proof Intake Screen				
Control Lock Theft Deterrent				
Heavy-Duty Drive				
Extended Performance				

IRONMAN FEATURES

PROVEN QUALITY. LEADING TECHNOLOGY.

PREMIUM FEATURES



ABOUT GRACO

PROVEN QUALITY, LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441 Minneapolis, MN 55440-1441 Tel: 612-623-6000 Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters Graco Inc. 88-11th Avenue N.E. Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters Graco N.V. Industrieterrein-Oude Bunders Slakweidestraat 31 3630 Maasmechelen, Belgium Tel: 32 89 770 700

Tel: 32 89 770 700 Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd Suite 17 2 Enterprise Drive Bundoora Victoria 3083 Australia Tel: 61 3 9467 8558

Fax: 61 3 9467 8559

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Room 118 1st Floor
No.2 Xin Yuan Building
No.509 Cao Bao Road
Shanghai, P.R. China 200233
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 103, Level 4, Augusta Point
Golf Course Road
Gurgaon, Haryana, India 122001
Tel: +91 124 435 4208
Fax: +91 124 435 4001

JAPAN

Graco K.K. 1-27-12 Hayabuchi Tsuzuki-ku Yokohama City, Japan 2240025 Tel: 81 45 593 7300 Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Choheung Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-Si, Gyunggi-Do,
Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America Customer Service 800-690-2894 Fax 800-334-6955

©2009 Graco Inc. 337555 Rev. E 12/09 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. Blue is a trademark of Graco Inc. for Contractor Equipment Sprayers.