



Gas Airless Sprayers

The Industry Leader in Innovation, Power and Performance



PROVEN QUALITY. LEADING TECHNOLOGY.



WARRANTY

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do... we will be there.

NOBODY ELSE BUILDS SPRAYERS LIKE THIS

3 YEAR HONDA ENGINE WARRANTY*

If the engine fails from normal use, Honda will replace it under warranty for the original owner for 3 years.

LIFETIME DRIVE TRAIN WARRANTY

If the drive train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade-up to a larger sprayer at an additional cost.

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get **FREE** next business day air freight delivery when distributor orders the part by 2 p.m. CST.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco distributors for country specifics.

The *G4* Difference... We Build It. We Back It. *Period.*



QUALITY | PERFORMANCE | WARRANTY | PRODUCTIVITY

Only Graco delivers the industry's first choice for gas airless sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVEN QUALITY

Precision design, 100% factory-tested and field-proven.

Cutting-edge technology keeps Graco sprayers up and running and on the job for years.

MAXIMUM PERFORMANCE

Higher output with superior control ensures highest quality finish for every job.

Rely on any of these high performance sprayers to deliver the results you expect from a Graco.

INDUSTRY LEADING WARRANTY

Every Graco gas sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.

Sprayers so reliable you may never need to use the warranty!

UNMATCHED PRODUCTIVITY

Exclusive Endurance Pumps deliver long life, reliable performance and consistent spraying.

The Endurance Advantage Program eliminates downtime by keeping a spare pump on hand for a quick change-out on the job.

Graco has the Right Solutions for all your Gas

Graco introduces our extensive line of gas airless sprayers – all of which offer the quality and performance that you'd expect from Graco. Our flagship line, GMAX II, offers superior pressure control and the most available features. For those users who prefer gas hydraulic sprayers we offer our GH line, which has increased performance and the ability to spray heavier materials. Both our GMAX and GH lines are offered as convertibles – allowing you to swap out the gas engine for an electric motor to spray indoors. Finally, for the contractor who sprays the heaviest materials in the most extreme applications, Graco offers the IronMan 500G, GH 733, GH 833 and Roof Rigs. No matter what spraying application you face Graco has the **Total Job Solution** for you.

GRACO GAS AIRLESS SPRAYING SOLUTIONS GUIDE

SPRAYER CLASSIFICATION

TYPICAL APPLICATIONS

TYPICAL MATERIALS

PRODUCTION RATE

ENTRY GAS

- GMAX 3400

Interior/Exterior Residential
New Construction
Repaint/Remodel
Property Maintenance
Light Commercial

Latex Paints and Primers
Acrylic Paints and Primers
Oil-Based Paints and Primers

Medium
1 Gun
Up to 0.027 tip
Up to 0.75 gpm

LARGE GAS

- GMAX II 3900/5900/7900
- GMAX II 5900 *Convertible*
- GH 130/200/230 *Convertible*
- GH 300

Interior/Exterior Residential
New Construction
Heavy Commercial
Industrial

Latex Paints and Primers
Acrylic Paints and Primers
Oil-Based Paints and Primers
Elastomerics
Block Fillers and Gypsum
Drywall Mud

High
Up to 5 Guns
Up to 0.057 tip
Up to 3.0 gpm

Airless Spraying Applications



EXTREME-DUTY GAS

- GH 733 and Roof Rigs
- GH 833
- IronMan 500G

Heavy Commercial
Industrial
Roofing
Architectural
Water-Proofing

Elastomerics
Block Fillers and Gypsum
Drywall Mud
Epoxies and Sealers
Asphalt and Aluminum Emulsion
Water-Proofing Materials

Highest

Up to 6 Guns
Up to 0.065 tip
Up to 4.0 gpm

"We only use Graco
sprayers and would
never think of using any
sprayer that isn't 'blue'."



—Mike Smith
*Swanson & Youngdale Painting
Minneapolis, MN*

SmartControl™

Graco's advanced **SmartControl** delivers a consistent spray fan without pressure fluctuation at all spraying pressures. Our **Premium** line of sprayers have the added benefit of a digital display with pressure readout, job/lifetime gallon counter, and self-diagnostics.

SMARTCONTROL™



WatchDog™

The **WatchDog Pump Protection System** automatically shuts the sprayer down when the bucket is empty – extending the life of the pump.



Easy Out™ Filter

The **Easy Out Pump Filter** is designed to filter from the inside out so filters won't get stuck or collapse when they are filled with dirt or debris. It's large filtering area reduces tip clogs and ensures a quality finish. Filter removes with the cap which means less mess.

QuikReel™

Introducing **QuikReel**, the ultimate solution to hose management. With QuikReel you can reel and unreel up to 300 feet of hose in seconds! The hose is connected so you're always ready to spray. In fact, it comes connected out of the box. With Graco's innovative QuikReel, you can get on and off the job site faster.



Endurance™ Pump

Graco's **Endurance Pump** is the most rugged and reliable pump on the market today. This field proven design with long-life **V-Max Blue™** packings, **Chromex™** rod and **MaxLife™** pump coatings delivers superior reliability and life.



ProConnect™

The **ProConnect Pump Removal and Installation System** allows you to replace your pump in seconds *without any tools!* This revolutionary design keeps you pumping – saving you time and money.



HONDA® ENGINES

Built like no other.



Honda® Engine

This compact, lightweight **Honda Engine** is reliable, technologically advanced and easy to start. Comes with Oil Alert which contractors depend upon to keep their engine running at top performance.

Advantage Drive™

The drive is the critical link between the motor and the pump. Graco doesn't leave the manufacturing of our **Advantage Drive System** to others, rather we design and manufacture them at our world-class manufacturing facility located in the United States. This allows us to control the quality of these hardened steel gears. You can find peace of mind knowing that you have the most durable, longest lasting drive in the industry and Graco stands behind it with a lifetime warranty.



[Honda engine not exclusive to Graco.]



ENDURANCE™ ADVANTAGE PROGRAM

A Solution to Keep You Spraying

Purchase any new Graco Gas Airless Sprayer and you can purchase an Endurance Pump for up to **80% OFF** the list price. Keep a spare pump on hand to save yourself time and money on every job. If you'd rather repack your own pump, we'll let you choose a **FREE Repair Kit** instead. With reliability you can count on, Graco ensures you'll always be up and spraying! Follow the registration instructions included with your sprayer. No matter what your choice, you'll soon discover how quickly and easily the QuikChange and ProConnect lowers get you up and spraying.

- ✓ On the Job Replacement
- ✓ Quick and Easy Change
- ✓ No Special Tools Needed
- ✓ Less Down Time



ProConnect no-tools pump removal system makes swapping out the Endurance Pump fast and easy!



- ▶ Filtering reduces tip clogs and ensures a quality finish
- ▶ Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- ▶ Filter removes with the cap for less mess

- ▶ Provides increased performance with less weight
- ▶ Quiet running gear system
- ▶ Long-life drive system prevents down time
- ▶ Fewer parts to maintain, less service requirements

- Provides high quality spray pattern
- Consistent spray with all materials
- Excellent spray pattern provides a high quality finish

- ▶ Long-life V-Max Blue packings, Chromex rod and hardened Stainless Steel cylinder
- ▶ QuikAccess intake valve requires only a hammer to access the intake ball to easily clean or clear debris

PART #:
248664
248666

- Contractor™ Gun
- RAC X™ 517 SwitchTip™ and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m]
BlueMax™ II Airless Hose



- ▶ Proven, reliable design
- ▶ ProConnect allows you to remove and replace your pump in seconds ***without any tools***
- ▶ Makes your work easier – saving you time and money on the job



- ▶ Long-life V-Max Blue packings, Chromex rod and hardened Stainless Steel sleeve
- ▶ Exclusive MaxLife rod and sleeve delivers unmatched durability and life – *Graco's best*

[Available on GMAX II 7900 sprayer only]

- ▶ QuikAccess intake valve requires only a hammer to access the intake ball to easily clean or clear debris

- ▶ Time-tested drive system provides peace of mind
- ▶ Hardened helical gears are quiet running
- ▶ Lifetime guarantee

- ▶ Use indoors with electric motor
- ▶ No-tools change out system
- ▶ Self-tensioning belt for long life
- ▶ 2.0 hp TEFC DC motor



Lo-Boy model shown



DESCRIPTION	PART #:
GMAX II 5900 <i>Convertible</i> Hi-Boy	248691
GMAX II 5900 <i>Convertible</i> Hi-Boy with Electric Motor Kit [Non CSA]	248693
GMAX II 5900 <i>Convertible</i> Hi-Boy with Electric Motor Kit [CSA]	248694
GMAX II 5900 <i>Convertible</i> Lo-Boy	248695
GMAX II 5900 <i>Convertible</i> Lo-Boy with Electric Motor Kit [Non CSA]	248697

MAX TIP SIZE: .043—1 Gun
.029—2 Guns
.023—3 Guns

MAX PSI [BAR]: 3300 [227]

HONDA ENGINE: 160 cc [5.5 HP]

MAX TIP SIZE: .031

MAX GPM [LPM]: 1.1 [4.2]

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose

DESCRIPTION	PART #:
GMAX II 7900 Roof Rig	248953

MAX TIP SIZE:

- .048—1 Gun
- .035—2 Guns
- .027—3 Guns
- .023—4 Guns

MAX PSI [BAR]: 3300 [227]

HONDA ENGINE: 200 cc [6.5 HP]

- Heavy-Duty Gun
- LTX527, LTX635 SwitchTips and Guard
- 20 in [50 cm] Fixed Heavy-Duty Tip Extension
- 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless Hose
- 1/4 in x 3 ft [6.4 mm x .9 m] BlueMax II Whip Hose

GMAX II 3900 Premium

GMAX II 3900 Hi-Boy
GMAX II 3900 Lo-Boy

258731

258736

MAX TIP SIZE: .036-1 Gun
.023-2 Guns

MAX GPM [LPM]: 1.25 [4.7]

MAX PSI [BAR]: 3300 [227]

HONDA ENGINE: 120 cc [4.0 HP]

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m]

BlueMax II Airless Hose

GMAX II 5900 Premium

GMAX II 5900 Hi-Boy
GMAX II 5900 Lo-Boy

258732

258737

MAX TIP SIZE: .043-1 Gun
.029-2 Guns
.023-3 Guns

MAX GPM [LPM]: 1.60 [6.0]

MAX PSI [BAR]: 3300 [227]

HONDA ENGINE: 160 cc [5.5 HP]

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless Hose

SmartControl 2.0 Digital Display

- ▶ SmartControl display with pressure read-out, gallon counting and diagnostics



WatchDog Pump Protection System

- ▶ Shuts down pump when paint runs out
- ▶ Prevents dry pumping damage

Standard Features:

- ▶ **Endurance Pump**
 - Chromex rod and hardened Stainless Steel sleeve [GMAX II 3900/5900]
 - MaxLife rod and sleeve [GMAX II 7900]
- ▶ **ProConnect Pump Removal System**
- ▶ **Advantage Drive System**
- ▶ **Easy Out Pump Filter**

On-Board Toolbox

- Convenient storage container for tools, tips, filters and accessories



Hi-Boy model shown

READY TO SPRAY
with gun and
hose attached

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft [9.5 mm x 15 m]
BlueMax II Airless Hose
- 1/4 in x 3 ft [6.4 mm x .9 m]
BlueMax II Whip Hose

**SMARTCONTROL™**

- ▶ ProConnect allows you to remove and replace your pump in seconds – *without any tools*
- ▶ Proven, reliable design
- ▶ Makes your work easier – saving you time and money on the job



- ▶ Exclusive MaxLife rod and sleeve delivers unmatched durability and life – **Graco's best** [not available on GH 130]
- ▶ QuikAccess intake valve to easily clean or clear debris



- ▶ Delivers maximum performance
- ▶ Contractor preferred engine with Oil Alert



- ▶ Faster, more responsive changeover
- ▶ 100% O-ring sealed fittings prevents leaks
- ▶ Fewer moving parts for easier maintenance and longer life

Convertible model shown

DESCRIPTION	PART #
GH 230 <i>Convertible</i>	253965
GH 230 <i>Convertible</i> with Electric Motor Kit [Non CSA]	253966
GH 230 <i>Convertible</i> with Electric Motor Kit [CSA]	253982

MAX TIP SIZE:

- .053-1 Gun
- .038-2 Guns
- .032-3 Guns
- .028-4 Guns
- .024-5 Guns

MAX PSI [BAR]: 3300 [227]

HONDA ENGINE: 200 cc [6.5 HP]

MAX TIP SIZE: .031

MAX GPM [LPM]: 1.1 [4.2]

- Silver Plus™ Gun
- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft [9.5 mm x 15 m]
BlueMax II Airless Hose
- 1/4 in x 3 ft [6.4 mm x .9 m]
BlueMax II Whip Hose

DESCRIPTION	PART #:
GH 300	253968

MAX TIP SIZE:

- .057-1 Gun
- .039-2 Guns
- .033-3 Guns
- .029-4 Guns
- .025-5 Guns

MAX PSI [BAR]: 3300 [227]

HONDA ENGINE: 270 cc [9.0 HP]

- Silver Plus Gun
- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft [9.5 mm x 15 m]
BlueMax II Airless Hose
- 1/4 in x 3 ft [6.4 mm x .9 m]
BlueMax II Whip Hose



PART #:
231733
230975

SPECIFICATIONS:

MAX GPM [LPM]: 3.0 [11.4]

MAX PSI [BAR]: 3500 [241]

KOHLER® ENGINE: 18.0 hp [624 cc]

COMPLETE SPRAYER INCLUDES:

- Silver Plus Gun
- RAC X 517 SwitchTip and Guard
- 3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Hose

Roof Rigs

DESCRIPTION	PART #:
GH 1015 Bare Roof Rig	965165

SPECIFICATIONS:

MAX GPM [LPM]: 15.0 [56.7]

MAX PSI [BAR]: 1000 [70]

GH 2075 Bare Roof Rig **965171**

SPECIFICATIONS:

MAX GPM [LPM]: 7.5 [12.4]

MAX PSI [BAR]: 1800 [124]

GH 2560 Bare Roof Rig	965168
------------------------------	---------------

SPECIFICATIONS:

MAX GPM [LPM]: 6.0 [22.7]

MAX PSI [BAR]: 2400 [166]

GH 3640 Bare Roof Rig **687327**

SPECIFICATIONS:

MAX GPM [LPM]: 3.8 [14.4]

MAX PSI [BAR]: 3600 [245]

GH 5030 Bare Roof Rig **687100**

SPECIFICATIONS:

MAX GPM [LPM]: 2.8 [10.5]

MAX PSI [BAR]: 4900 [337]



Interchangeable pumps allow maximum versatility for all applications.

GH 733 and Roof Rigs

For more than 20 years contractors have turned to the **GH 733** and **Roof Rigs** when they need to spray some of the most aggressive materials found today. The GH 733 and Roof Rigs are simply some of the most powerful and versatile units on the market.

Heavy-Duty Graco Hydraulic System

- ▶ Faster more responsive changeover
- ▶ O-ring sealed to eliminate leaks
- ▶ Motor reset button to correct stalling
- ▶ Easy-to-service design
- ▶ Durable large hydraulic lines for long life

Heavy-Duty Cooling System

- ▶ Large 5-gallon hydraulic reservoir
- ▶ Large return line hydraulic filter
- ▶ No special hydraulic fluid needed
- ▶ Proven cooler and blower system
- ▶ Easy-to-use hydraulic drain plug

Kohler Power

- ▶ Reliable electric start system
- ▶ Time-tested power source
- ▶ Air-cooled twin cylinder keeps heat away
- ▶ 18 hp to deliver maximum power

Heavy-Duty Frame

- ▶ Field proven design withstands abuse
- ▶ 2-inch diameter steel tubing
- ▶ Tall, easy-to-roll transport tires
- ▶ Ergonomic design is easy-to-service

Exclusive Xtreme™ Pump

- ▶ QuikChange pump section
- ▶ Time tested durability and performance
- ▶ Long life XtremeSeal™ and leather packings
- ▶ Heavy-duty piston rod for long life
- ▶ QuikAccess intake valve removes easily for fast repairs



Bare model shown

Application Chart

Sprayable Coatings

- Architectural
- Protective
- Industrial
- Other: Roofing

	Latex Paints	Primers	Block Fillers	Enamel	Elastomastics	Acrylics: Water / Solvent	Epoxy: Finishes / Mastics	Polyurethar	Coal Tar	Polyurethane	Sealers	Lacquers	Varnishes	Bridge Paints (No Zinc Base)	Asphalt Emulsion: Fibered / Non-fibered	Mastics - Adhesive Type	Waterproofing / Above and Below Grade	Asphalt Cement	Texture: Smooth and Fine	Burnastics	Monofom	Aluminum Emulsion: Fibered / Non-fibered	Elastomeric Acrylic Emulsion Primer
GRACO SPRAYER																							
GMAX II 7900 RR	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
GH 733	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
GH 833	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
GH 1015	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
GH 2075	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
GH 2560	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
GH 3640	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
GH 5030	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

**Note: Materials and temperatures may dictate the hose length you can use.*

IronMan 500G

PART #:
256790

MAX TIP SIZE: .043-1 Gun
.029-2 Guns
.023-3 Guns

MAX PSI [BAR]: 3300 [227]

HONDA ENGINE: 200 cc [6.5 HP]

- Silver Plus Gun
- RAC X 517 SwitchTip and Guard
- RAC X 527 SwitchTip
- RAC X Wide RAC™ 1231 SwitchTip
- 1/4 in x 50 ft [6.4 mm x 15 m]
BlueMax II Airless Hose
- 3/8 in x 50 ft [9.5 mm x 15 m]
BlueMax II Airless Hose



all critical sprayer components from extreme jobsite abuse

Extreme-Duty Prime Valve

Designed to hold up to high pressure dumps for the most extreme jobsite conditions

Control Lock Theft Deterrent

Allows the user to lock/disable the sprayer
Protects the controls from jobsite abuse

Flat-Proof Tires

Nails, screws, blades cannot flatten these tires
Pneumatic tire performance

► Oversized clearances ensure minimal pressure drop and increased performance



Crush-Proof Intake Screen

- Holds up to impacts which are common on the jobsite

RAC X SwitchTip

The **RAC X SwitchTip** is a high-performance spray tip used for residential and commercial applications. With a large selection of tip sizes available we are sure to have one to fit your needs. RAC X provides the best fan pattern life and the highest quality finish. Graco tips are the most widely used reversible spray tips on the market today!




Contractor/Silver Plus Gun

Graco's gun offerings cover every application. The **Contractor Gun** continues to be the number one choice of painting contractors, with features like the FlexSeal™ design, Easy Out™ gun filter and the EasyGlide™ swivel.

With the **Silver Plus Gun**, the fluid flows directly to the tip, making it ideal for spraying heavier materials.

No matter which gun you choose, you can be assured that you're getting a quality Graco gun.



BlueMax II Hose

To maximize performance, choose the high performance **BlueMax II Airless Hose**. Lighter weight and increased hose flexibility improves usability while spraying under pressure. With superior flexibility and durability, BlueMax II is designed to ensure you get the best results from your airless sprayer.



Pump Armor™/TSL

Maintaining your pump is essential for long life and reliability. Graco has made pump maintenance simple with our complete line of fluids.

Pump Armor is a storage solution which protects your pump from the damaging effects of corrosion during storage. **TSL (Throat Seal Liquid)** prevents dried paint from accumulating on the pump rod – extending the life of the pump packings.





287020 15 inch [38 cm] 287022 30 inch [75 cm]

Essential Tools for *Maximum* Productivity and Performance



GH 733 KITS

- | | |
|--------|---|
| 948727 | 2 in [50 mm] Siphon Kit adapts to any GH 733, Bulldog® or King® Pump Air or Gas |
| 948740 | Lift Kit modifies GH 733 with Version Code A, B or C to accept GH 1015, GH 2074 or GH 2560 Pump Lowers |
| 245244 | Lift Kit modifies GH 733 with Version Code A, B or C to accept Xtreme Pump Lower Kits [GH 733, GH 3640 and GH 5030 Pump Kits] |

GH 833 KITS

- 287843 Direct Immersion Kit; Includes: Hydraulic Feed Lines, Stinger Tube and Lift Bracket
249767 OEM Kit; Includes: Hydraulic Engine/Head, Displacement Pump
287916 Non-Solvent Siphon Kit, 1.5 in diameter x 6.5 ft [2 m] Siphon Hose
287936 Non-Solvent Siphon Kit, 2 in diameter x 6.5 ft [2 m] Siphon Hose
287915 Solvent Resistant Siphon Kit, 1.5 in diameter x 6.5 ft [2 m] Siphon Hose

GUN HOSE KITS – KITS INCLUDE THE FOLLOWING UNLESS OTHERWISE NOTED

- Airless Gun, RAC X 517 Tip and Guard, 1/4 in x 50 ft [6.4 mm x 15 m]
3300 psi [227 bar] BlueMax II Airless Hose and 3 ft [0.9 m] Whip Hose
- 288489 Contractor Gun Hose Kit
- 288496 Contractor Gun Hose Kit with RAC 5
- 288490 Contractor Gun Hose Kit with 3/8 in x 50 ft [9.5 mm x 15 m]
3300 psi [227 bar] BlueMax II Airless Hose
- 288493 FTx Gun Hose Kit with RAC X 515 Tip [*Whip Hose Excluded]
- 288497 FTx Gun Hose Kit with RAC 5 515 Tip [*Whip Hose Excluded]
- 287095 Flex Plus Gun Hose Kit
- 287041 Silver Plus Gun Hose Kit
- 287042 Silver Plus Gun Hose Kit with 3/8 in x 50 ft [9.5 mm x 15 m]
3300 psi [227 bar] BlueMax II Airless Hose
- 287043 Silver Plus Gun Hose Kit with 3/8 in x 50 ft [9.5 mm x 15 m]
4000 psi [276 bar] BlueMax II Airless Hose
- 287850 Silver Plus Gun Hose Kit with RAC X SwitchTip, 3/8 in x 50 ft [9.5 mm x 15 m]
3300 psi [227 bar] Hose
- 287851 Flex Plus Gun Hose Kit with RAC X 655 and 531 SwitchTip, 3/8 in x 50 ft
[9.5 mm x 15 m] 4000 psi [276 bar] Hose and Whip Hose
- 287852 Heavy-Duty Gun Hose Kit with RAC X 655 and 531 SwitchTip, 3/8 in x 50 ft
[9.5 mm x 15 m] 4000 psi [276 bar] Hose and Whip Hose



BLUEMAX II AIRLESS HOSE *Feel the Difference in Flexibility!*

- | | | | |
|--------|-----------------------------------|--------------------|------------------------------|
| 238358 | 3/16 in x 3 ft [4.8 mm x 0.9 m] | 3300 psi [227 bar] | BlueMax II Airless Whip Hose |
| 238959 | 3/16 in x 4.5 ft [4.8 mm x 1.4 m] | 3300 psi [227 bar] | BlueMax II Airless Whip Hose |
| 240793 | 1/4 in x 25 ft [6.4 mm x 7.5 m] | 3300 psi [227 bar] | BlueMax II Airless Hose |
| 240794 | 1/4 in x 50 ft [6.4 mm x 15 m] | 3300 psi [227 bar] | BlueMax II Airless Hose |
| 240797 | 3/8 in x 50 ft [9.5 mm x 15 m] | 3300 psi [227 bar] | BlueMax II Airless Hose |



BLUEMAX II HIGH PRESSURE HOSE – *Maximum Working Pressure: 4000 psi [276 bar]*

- | | | |
|--------|--------------------------------|---------------|
| 277249 | 1/4 in x 3 ft [6.4 mm x 0.9 m] | MxF Whip Hose |
| 277250 | 1/4 in x 50 ft [6.4 mm x 15 m] | FBE |
| 277351 | 3/8 in x 3 ft [9.5 mm x 0.9 m] | MxF Whip Hose |
| 277251 | 3/8 in x 50 ft [9.5 mm x 15 m] | FBE |
| 277253 | 1/2 in x 50 ft [13 mm x 15 m] | FBE |

FLUIDS

- | | | |
|--------|---|---|
| 243103 | Pump Armor – 1 qt [1 L] |  |
| 245133 | Pump Armor – 1 gal [3.8 L] | |
| | ► Use Graco's exclusive Pump Armor for long term pump storage to prohibit harmful rust and corrosion to your sprayer. | |
| 206994 | Throat Seal Liquid [TSL] – 8 oz [.24 L] | |
| 206995 | Throat Seal Liquid [TSL] – 1 qt [1 L] | |
| 206996 | Throat Seal Liquid [TSL] – 1 gal [3.8 L] | |
| | ► Prolong the life of your pump by routinely adding TSL to your pump's wet cup. | |



*Ask your local authorized Graco Distributor
for details on our complete line of
airless accessories.*

GAS AIRLESS SPRAYER SPECIFICATIONS



MODEL		Hi-Boy-248664 Lo-Boy-248666	Hi-Boy-248664 Lo-Boy-248666	Premium Hi-Boy-258731 Lo-Boy-258736 Standard Hi-Boy-248684 Lo-Boy-248683	Premium Hi-Boy-258732 Lo-Boy-258737 Standard Hi-Boy-248688 Lo-Boy-248687
SPECIFICATIONS	Maximum Tip Size	.027	.027	.036	.043
	Maximum psi [bar]	3300 [227]	3300 [227]	3300 [227]	3300 [227]
	Maximum gpm [lpm]	0.75 [2.8]	0.75 [2.8]	1.25 [4.7]	1.60 [6.0]
	Engine	120 cc Honda [4.0 HP]	120 cc Honda [4.0 HP]	120 cc Honda [4.0 HP]	160 cc Honda [5.5 HP]
	Weight lbs [kg]	89 [41] Hi-Boy	89 [41] Hi-Boy	109 [50] Hi-Boy	139 [64] Hi-Boy
	Gun Support: [Gas]	1 Gun 2 Guns 3 Guns 4 Guns 5 Guns 6 Guns	0.027 — — — — —	0.036 0.023 — — — —	0.043 0.029 0.023 — — —
	Gun Support: [Electric]	1 Gun 2 Guns	— —	— —	— —
	Gun	Contractor	Contractor	Contractor	Contractor
INCLUDES	Hose	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless
	Tip	RAC X 517	RAC X 517	RAC X 517	RAC X 517
	Filter	Easy Out	Easy Out	Easy Out	Easy Out
	Tip	RAC X 517	RAC X 517	RAC X 517	RAC X 517
PUMP	Type	Endurance Piston QuikChange System	Endurance Piston QuikChange System	Endurance Piston ProConnect System	Endurance Piston ProConnect System
	Intake	QuikAccess	QuikAccess	QuikAccess	QuikAccess
	Rod	Chromex	Chromex	Chromex	Chromex
	Cylinder	Hardened SST	Hardened SST	Hardened SST	Hardened SST
	Packings	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue
CONTROL AND DRIVE	Control	Electronic	Electronic	SmartControl	SmartControl
	Low Paint Indicator	N/A	N/A	WatchDog	WatchDog
	Drive	N/A	N/A	Advantage Drive	Advantage Drive
Premium FEATURES	Hose Reel	N/A	N/A	QuikReel	QuikReel
	Digital Readout	N/A	N/A	SmartControl Digital	SmartControl Digital
	Storage	N/A	N/A	On-Board Toolbox	On-Board Toolbox


There is no other sprayer like a GRACO.

Welcome to a whole new world of paint application possibilities.

Graco manufactures the most extensive and highest quality professional line of paint solutions in the market. This informational guide is designed to help you select the right solutions to your painting needs.

According to Frost & Sullivan, "U.S. Painting Contractors overwhelmingly rate Graco as the best overall brand of spray equipment and is considered the *'Overall Best'* brand among all paint-related products." When it comes to making a choice, Graco is preferred 7 to 1 over the nearest competitive brand.


2008 Overall Best Brand of Spray Equipment



Frost & Sullivan, 2008 Paint Contractors Choice Award for Overall Best Brands

Most importantly, when choosing Graco, you can be assured that you are choosing the highest quality product in the industry. You can take pride in the fact that Graco products are designed, manufactured, and assembled right here in the United States of America, with contractor preferred Honda® engines.

We do!





GMAX II 5900 Convertible	GMAX II 7900	GH 130 Convertible	GH 200 Convertible	GH 230 Convertible
Hi-Boy–248691 Hi-Boy with Electric Motor Kit [Non CSA]–248693 Hi-Boy with Electric Motor Kit [CSA]–248694 Lo-Boy–248695 Lo-Boy with Electric Motor Kit [Non CSA]–248697	Premium Hi-Boy–258733 Lo-Boy–258738 Standard Hi-Boy–248701 Lo-Boy–248700 Hi-Boy Roof Rig–248953	Complete–253957 Complete with Electric Motor [Non CSA]–253959 Complete with Electric Motor [CSA]–253980	Complete–253962 Complete with Electric Motor [Non CSA]–253963 Complete with Electric Motor [CSA]–253981	Complete–253965 Complete with Electric Motor [Non CSA]–253966 Complete with Electric Motor [CSA]–253982
.043	.048	.037	.047	.053
3300 [227]	3300 [227]	3300 [227]	3300 [227]	3300 [227]
1.60 [6.0]	2.2 [8.3]	1.3 [4.9]	2.15 [8.1]	2.35 [8.9]
160 cc Honda [5.5 HP]	200 cc Honda [6.5HP]	120 cc Honda [4.0 HP]	160 cc Honda [5.5 HP]	200 cc Honda [6.5 HP]
139 [64] Hi-Boy	146 [67] Hi-Boy	150 [68]	160 [72]	168 [76]
0.043 0.029 0.023 — — —	0.048 0.035 0.027 0.023 — —	0.037 0.023 — — — —	0.047 0.034 0.027 0.023 — —	0.053 0.038 0.032 0.028 0.024 —
0.031 0.017	— —	0.031 0.017	0.031 0.017	0.031 0.017
Contractor	Contractor	Contractor	Contractor	Silver Plus
1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless	3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 3 ft [6.4 mm x .9 mm] BlueMax II Whip Hose	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless 1/4 in x 3 ft [6.4 mm x .9 mm] BlueMax II Whip Hose	1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless 1/4 in x 3 ft [6.4 mm x .9 mm] BlueMax II Whip Hose	3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 3 ft [6.4 mm x .9 mm] BlueMax II Whip Hose
RAC X 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517
Easy Out	Easy Out	EasyOut	EasyOut	EasyOut
Endurance Piston ProConnect System	Endurance Piston ProConnect System	Endurance Piston QuikChange System	Endurance Piston ProConnect System	Endurance Piston ProConnect System
QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess
Chromex	MaxLife	Chromex	MaxLife	MaxLife
Hardened SST	MaxLife	Hardened SST	MaxLife	MaxLife
V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue
SmartControl	SmartControl	Hydraulic	Hydraulic	Hydraulic
WatchDog	WatchDog	Hydraulic	Hydraulic	Hydraulic
Advantage Drive	Advantage Drive	Hydraulic	Hydraulic	Hydraulic
N/A	QuikReel	N/A	N/A	N/A
N/A	SmartControl Digital	N/A	N/A	N/A
N/A	On-Board Toolbox	N/A	N/A	N/A



GH 300
Complete–253968
.057
3300 [227]
3.0 [11.4]
270 cc Honda [9.0 HP]
195 [88]
0.057 0.039 0.033 0.029 0.025 —
— —
Silver Plus
3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 3 ft [6.4 mm x .9 mm] BlueMax II Whip Hose
RAC X 517
Easy Out
Endurance Piston ProConnect System
QuikAccess
MaxLife
MaxLife
V-Max Blue
Hydraulic
Hydraulic
Hydraulic
N/A
N/A
N/A

GH 733	GH 833
Bare–231733 Complete–230975 GH 1015 Bare–965165 GH 2075 Bare–965171 GH 2560 Bare–965168 GH 3640 Bare–687327 GH 5030 Bare–687100	Bare–249318 Complete–249617 GH 833 OEM–249767 GH 833 Direct Immersion Kit–287843
.060	.065
3500 [240]	4000 [276]
3.0 [11.4]	4.0 [15.1]
18 hp [624 cc] Kohler	390 cc Honda [13.0 HP]
— — — — — —	0.065 0.046 0.037 0.032 0.029 0.026
— —	— —
Silver Plus	Silver Plus
3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 3 ft [6.4 mm x .9 mm] BlueMax II Whip Hose	3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 3 ft [6.4 mm x .9 mm] BlueMax II Whip Hose
RAC X 517	RAC X 655, RAC X 517
Easy Out	Easy Out
Endurance Piston QuikChange System	Endurance Piston QuikChange System
QuikAccess	QuikAccess
Hardened SST	MaxLife
Hardened SST	MaxLife
V-Max Blue	V-Max Blue
Hydraulic	Hydraulic
Hydraulic	Hydraulic
Hydraulic	Hydraulic
N/A	N/A
N/A	N/A
N/A	N/A

IronMan 500G
256790
.043
3300 [227]
1.60 [6.0]
200 cc Honda [6.5 HP]
168 [76]
0.043 0.029 0.023 — — —
— —
Silver Plus
3/8 in x 50 ft [9.5 mm x 15 m] BlueMax II Airless 1/4 in x 50 ft [6.4 mm x 15 m] BlueMax II Airless
RAC X 517, RAC X 527, RAC X Wide RAC 1231
Easy Out
Endurance Piston QuikChange System
QuikAccess
Chromex
MaxLife
V-Max Blue
IronMan
WatchDog
Advantage Drive
Flat-Proof Tires
Heavy-Duty Prime Valve
Control Lock Theft Deterent

IRONMAN
FEATURES



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Room 118 1st Floor
No.2 Xin Yuan Building
No.509 Cao Bao Road
Shanghai, 200233
The People's Republic of China
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 432, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwangyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Customer Service
800-690-2894
Fax 800-334-6955